


PAIN ELE

Where is your Pain?



Problems reported by patients & users: peer-reviewed Uni study*

isers. peer-revie	weu u	iii Stuuy
Count	%	
Other Head	12	3
Headache	16	4
Neck*	56	13
Shoulder*	60	14
Cardiovascular	6	1
Thoracic spine*	14	3
Elbow*	9	2
Digestive	13	3
Low Back*	111	25
Hip*	22	5
Genito-Urinary	3	1
Wrist/Hand*	14	3
Neurologica	l 31	7
🥻 Fibromyalgia	* 25	6
Arthritis*	25	6
Skin	8	2
Hormonal	6	1
Ankle/Foot*	27	6
General Health	4	1

Survey Count N 481 = 100% Average: Pain Reduction 70% Functional Improvement 62% RMIT JEBCAM Published 2014*

RMIT

JEBCAM



The ENAR ® is a hand-held, Electro-Neuro-Adaptive-Regulator, approved by the TGA (147761) Class IIa therapeutic medical device purposed for both pain relief and functional improvement. ENAR is used by medical professionals, trained therapists, and also personally by patients and home users.

The ENAR is applied onto the skin, often centrally along the spine first, then adjacent to and onto your areas of pain. Micro-electro tingling is felt as the ENAR is adjusted for comfort and then the ENAR is brushed over the skin to find and treat your 'Key-Points'.

Key-Points "These areas of difference are often where normal homeostasis is not fully present, or optimal. ENAR signals help the body prioritise and amplify communication from the sensory nerve endings of the peripheral nervous system (PNS). This input is processed in the brain, which initiates a reflex response, transmitting the new information through the central nervous system (CNS) to muscles and glands to coordinate and regulate responses. Slower acting chemical messengers, such as hormones and neuropeptides are also stimulated which effect more long term changes in physiological activities and result In pain relief." Prof. Dr. Arun Aggarwal

Will ENAR work for you?

RMIT University Study of ENAR Therapy Case Results

481 patient - reported ENAR case files show significant results using ENAR device therapy for chronic pain.

mean reduction in pain of 70% functional improvement of 62%

Average treatment duration - 30 mins Number of treatments required varied

ENAR Effects - lasted for Hours - 10%
Days - 30%
Months - 33%
Years - 23%


Respondents - reported


Better by Comparison* 92%
Medication Reduction 72%
Some Effectiveness 98%
Great Effectiveness 82%
Cured 19%


Prof. Dr. Marc Cohen & Prof. Dr. Rodney Bonello

















^{* &}quot;92% of repondents rated ENAR as better than other types of therapy they had tried. This represents a surprisingly high level of patient satisfaction."



- RELIEVE PAIN FAST acute and chronic
- IMPROVE FUNCTION reduce disability
- RECOVER RAPIDLY get better, quicker
- TREAT YOURSELF or SEE A THERAPIST





